



AC-D19ZM NEW

Invisible Hand Fingerprint

Ten Years Focus on
Intelligent Locks

AC-D19ZM
Bluetooth

Default Opening mode:

fingerprint
card **NFC card**
Key **Bluetooth**

(Optional: WIFI version)



AC-D19ZM

AC-D19ZM
Bluetooth

Biosemiconductor fingerprint head imported from Germany, invisible design
Quick Recognition One Step Open Door.




Black

Gray



system: ios、Android



Support language:

Simplified , Traditional ,
English, Spanish, Portuguese,
Russian, French, Malay, etc.

Platform docking:


OpenSDK interface is
provided to support
docking with smart home.

PARAMETER

| | |
|------------|--|
| Model | AC-D19ZM |
| Technology | Baking paintUV+IMD |
| grade | C-Class cylinder |
| Door type | Wooden door Wang Limen burglar-proof door |
| Password | 6-8 digit |
| time | 13 months |
| capacity | 100 pieces |
| distance | Within 5 metres |
| card | 200 sheets |
| passwords | Lock-in and warn after five errors |

| | |
|-------------|---|
| material | Zinc Alloy |
| alert | Low-power fingerprint light prompt |
| Lock body | Standard lock body 240*24MM |
| Fingerprint | FPC Semiconductor |
| function | Uplift anti-lock indoor anti-lock |
| endurance | ≥ 8000 second |
| system | APP Management/Limited Password Record Query |
| Anti-theft | Anti-prying ALARM illegal opening alarm |
| feed | Four 5 # alkaline batteries |

SIZE (MM)





i-Touch NEW Invisible Hand Fingerprint

Ten Years Focus on
Intelligent Locks

AC-D8ZM
Bluetooth

Default Opening mode:

fingerprint
card NFC card
Key Bluetooth

(Optional: WIFI version)



专利号: 201830477351.0

AC-D8ZM

AC-D8ZM
Bluetooth

Biosemiconductor fingerprint head imported from Germany, invisible design
Quick Recognition One Step Open Door.



system: ios、Android



Support language:

Simplified , Traditional ,
English, Spanish, Portuguese,
Russian, French, Malay, etc.

Platform docking:

OpenSDK interface is
provided to support
docking with smart home.



Black

Gray

Gold


Red

PARAMETER

| | |
|------------|--|
| Model | AC-D8ZM |
| Technology | Baking paintUV+IMD |
| grade | C-Class cylinder |
| Door type | Wooden door Wang Limen burglar-proof door |
| Password | 6-8 digit |
| time | 13 months |
| capacity | 100 pieces |
| distance | Within 5 metres |
| card | 200 sheets |
| passwords | Lock-in and warn after five errors |

| | |
|-------------|---|
| material | Zinc Alloy |
| alert | Low-power fingerprint light prompt |
| Lock body | Standard lock body 240*24MM |
| Fingerprint | FPC Semiconductor |
| function | Uplift anti-lock indoor anti-lock |
| endurance | ≥8000 second |
| system | APP Management/Limited Password Record Query |
| Anti-theft | Anti-prying ALARM illegal opening alarm |
| feed | Four 5 # alkaline batteries |

SIZE (MM)





AC-D9ZM-Upgrade New Product

Home Security Upgrade
Start with smart locks

AC-D9ZM
Bluetooth

Default Opening mode:

fingerprint
card **NFC card**
Key **Bluetooth**



AC-D9ZM-Upgrade

Biosemiconductor fingerprint head imported from Germany, invisible design
Quick Recognition One Step Open Door.

AC-D9ZM
Bluetooth



Black



Gray



Gold



Bluetooth

system: ios、Android



Support language:


English, Spanish, Portuguese,
Russian, French, Malay, etc.

Platform docking:
OpenSDK interface is
provided to support
docking with smart home.

PARAMETER

| | | | |
|------------|--|-------------|---|
| Model | AC-D9ZM-Upgrade | material | Zinc Alloy |
| Technology | Baking paintUV+Acrylic wire | alert | Low-power fingerprint light prompt |
| grade | C-Class cylinder | Lock body | Standard lock body |
| Door type | Wooden door Wang Limen burglar-proof door | | 240*24MM |
| Password | 6-8 digit | Fingerprint | FPC Semiconductor |
| time | 13 months | function | Uplift anti-lock indoor anti-lock |
| capacity | 100 pieces | endurance | ≥8000 second |
| distance | Within 5 metres | system | APP Management/Limited Password Record Query |
| card | 200 sheets | Anti-theft | Anti-prying ALARM illegal opening alarm |
| passwords | Lock-in and warn after five errors | feed | Four 5 # alkaline batteries |

SIZE (MM)





AC-D6ZM--Upgrade

Metal texture
Feeling Simple

AC-D6ZM
Bluetooth

Default Opening mode:

fingerprint
card NFC card
Key Bluetooth

(Optional: WIFI version)



专利号: SZ1960-18P322255

AC-D6ZM-Upgrade

AC-D6ZM
Bluetooth

Biosemiconductor fingerprint head imported from Germany, invisible design
Quick Recognition One Step Open Door.



Black



system: ios、Android



Support language:

Simplified , Traditional ,
English, Spanish, Portuguese,
Russian, French, Malay, etc.


Platform docking:

OpenSDK interface is
provided to support
docking with smart home.

PARAMETER

| | | | |
|------------|--------------------------------|-------------|---|
| Model | AC-D6ZM-Upgrade | material | Zinc Alloy |
| Technology | Baking paintUV+Acrylic wire | alert | Low-power fingerprint light prompt |
| grade | C-Class cylinder | Lock body | Standard lock body |
| Door type | Wooden door burglar-proof door | | 240*24MM |
| Password | 6-8 digit | Fingerprint | FPC Semiconductor |
| time | 13 months | passwords | Lock-in and warn after five errors |
| thickness | 38-120mm | function | Uplift anti-lock indoor anti-lock |
| feed | Four 5 # alkaline batteries | endurance | ≥8000 second |
| capacity | 100 pieces | system | APP Management/Limited Password Record Query |
| distance | Within 5 metres | Anti-theft | Anti-prying ALARM illegal opening alarm |

SIZE (MM)





Surface Screen

Algorithmic encryption

Core Technology Locks
Happiness

AC-M6ZM
Bluetooth

Default Opening mode:

fingerprint
card NFC card
Key Bluetooth



专利号: SZ1960-18P321892

AC-M6ZM

AC-M6ZM
Bluetooth

Biosemiconductor fingerprint head imported from Germany, invisible design
Quick Recognition One Step Open Door.




Black



Red bronze



system: ios、Android



Support language:

Simplified , Traditional ,
English, Spanish, Portuguese,
Russian, French, Malay, etc.

Platform docking:


OpenSDK interface is
provided to support
docking with smart home.

PARAMETER

| | |
|------------|--|
| Model | AC-M6ZM |
| Technology | Baking paintUV+IMD |
| grade | C-Class cylinder |
| Door type | Wooden door Wang Limen burglar-proof door |
| Password | 6-8 digit |
| time | 13 months |
| distance | Within 5 metres |
| capacity | 100 pieces |
| feed | Four 5 # alkaline batteries |
| passwords | Lock-in and warn after five errors |

| | |
|--------------------|---|
| material | Zinc Alloy |
| alert | Low-power fingerprint light prompt |
| Lock body | Standard lock body 240*24MM |
| Fingerprint | FPC Semiconductor |
| function | Uplift anti-lock indoor anti-lock |
| endurance | ≥8000 second |
| system | APP Management/Limited Password Record Query |
| Static Current | <50UA |
| Dynamic Current | <300MA |

SIZE (MM)





Simply Fashion life

AC-D2ZM
Bluetooth

Default Opening mode:

fingerprint
card **NFC card**
Key **Bluetooth**

(Optional: WIFI version)



AC-D2ZM

AC-D2ZM
Bluetooth

Biosemiconductor fingerprint head imported from Germany, invisible design
Quick Recognition One Step Open Door.



black

silver

Red bronze



system: ios、Android




Support language:
Simplified , Traditional ,
English, Spanish, Portugue
Russian, French, Malay, etc

Platform docking:
OpenSDK interface is
provided to support
docking with smart hom

PARAMETER

| | | | |
|------------|---|-------------|--|
| Model | AC-D2ZM | material | SUS 304 |
| Technology | Electroplating + Wire Drawing | alert | Low-power fingerprint light prompt |
| grade | C-Class cylinder | Lock body | Standard lock body |
| Door type | Wooden door Wang Limen burglar-proof door | | 240*24MM |
| Password | 6-8 digit | Fingerprint | FPC Semiconductor |
| time | 13 months | function | Uplift anti-lock indoor anti-lock |
| capacity | 100 pieces | endurance | ≥8000 second |
| distance | Within 5 metres | system | APP Management/Limited Password Record Query |
| card | 200 sheets | Anti-theft | Anti-prying ALARM illegal opening alarm |
| passwords | Lock-in and warn after five errors | feed | Four 5 # alkaline batteries |

SIZE (MM)





SUS 304
panel more durable

AC-D3ZM
Bluetooth

Default Opening mode:

fingerprint
card NFC card
Key Bluetooth


(Optional: WIFI version)



AC-D3ZM

AC-D3ZM
Bluetooth

Biosemiconductor fingerprint head imported from Germany, invisible design
Quick Recognition One Step Open Door.



system: ios、Android




Support language:
Simplified , Traditional ,
English, Spanish, Portugue
Russian, French, Malay, etc

Platform docking:
OpenSDK interface is
provided to support
docking with smart hom

PARAMETER

| | | | |
|------------|---|-------------|---|
| Model | AC-D3ZM | material | SUS 304 |
| Technology | Electroplating + Wire Drawing | alert | Low-power fingerprint light prompt |
| grade | C-Class cylinder | Lock body | Standard lock body |
| Door type | Wooden door, Wang Limen burglar-proof door | | 240*24MM |
| Password | 6-8 digit | Fingerprint | FPC Semiconductor |
| time | 13 months | function | Uplift anti-lock indoor anti-lock |
| capacity | 100 pieces | endurance | ≥8000 second |
| distance | Within 5 metres | system | APP Management/Limited Password Record Query |
| card | 200 sheets | Anti-theft | Anti-prying ALARM illegal opening alarm |
| passwords | Lock-in and warn after five errors | feed | Four 5 # alkaline batteries |

SIZE (MM)



Special lock for anti-theft door

Lock
body

Locks specially designed for narrow-edged doorframes



Standard lock body



Wang Lisuoti



Cylindrical lock



Overlock lock



AC-1019ZM

Broken Bridge Aluminum Lock

Imported 304 Stainless Steel
Strong, durable and safer

AC-1019ZM
Bluetooth

Opening mode:

fingerprint
card **NFC card**
key **Bluetooth**

(Optional: remote unlocking)



AC-1019ZM

AC-1019ZM
Bluetooth

Special Lock for Broken Bridge Aluminum Door




Black

Silver



system: ios、Android



Support language:

Simplified , Traditional ,
English, Spanish, Portuguese,
Russian, French, Malay, etc.


Platform docking:

OpenSDK interface is
provided to support
docking with smart home.

PARAMETER

| | | | |
|------------|------------------------------------|--------------|---|
| Model | AC-1019ZM | material | SUS304 |
| Technology | Electroplating + Wire Drawing | alert | Low-power fingerprint light prompt |
| grade | C-Class cylinder | Lock body | 85/35 85/45 85/60 |
| Door type | Aluminum profile | | 85/28 85/35 |
| Password | 6-8 digit | Fingerprint | FPC Semiconductor |
| time | 13 months | function | Uplift anti-lock |
| feed | Four 5 # alkaline batteries | endurance | ≥8000 second |
| distance | Within 5 metres | Truthfulness | ≤0.01% |
| passwords | Lock-in and warn after five errors | system | APP Management/Limited Password Record Query |


SIZE (MM)



Special Lock for Broken Bridge Aluminum Door

Locks specially designed for narrow-edged doorframes

Lock
body




4#(28*85)


4#(45*85)

4#(60*85)


4#(35*85)



5#(Single hook 35*85)



6 # (double hook 35 * 85
+ lockwith heaven and earth)



6 # (double hook 35 * 85
+ without locks)



Indoor wooden door lock

Waiting for Home for Love
Safety, Confidence and Sleep

AC-2018CM
Bluetooth

Opening mode:

Password card
NFC card key



Indoor wooden door lock

AC-2018CM
Bluetooth



Black

Silver

Red bronze

system: ios、Android



Support language:

Simplified , Traditional ,
English, Spanish, Portuguese,
Russian, French, Malay, etc.


Platform docking:

OpenSDK interface is
provided to support
docking with smart home.

PARAMETER


| | | | |
|------------|------------------------------------|-------------------------|---------------------------------------|
| Model | AC-2018CM | material | Zinc Alloy |
| Technology | Electroplating + Wire Drawing | alert | Low-power fingerprint light prompt |
| grade | C-Class cylinder | Lock body | Spherical lock60/70 |
| Door type | Wooden door/composite door | Large 50/Small 50 Locks | |
| Password | 6-8 digit | code capacity | Infinite |
| time | 13 months | function | Uplift anti-lock |
| feed | Four 5 # alkaline batteries | endurance | ≥8000 second |
| distance | Within 5 metres | false | ≤0.001% |
| passwords | Lock-in and warn after five errors | Truthfulness | ≤0.01% |

SIZE (MM)




Special lock for wooden door


lock
body




A1 lock body (center distance 60MM)



A2 lock body (center distance 70MM)



B1 lock body (center distance 50MM)



B2 lock body (center distance 50MM)

Intelligent Lock Gateway

gateway

Remote Transport Terminal: WiFi/Bluetooth

Supporting mainstream smart speakers:

Alexa、ELF



+



Getaway G2

Getaway G2[®]



Intelligent lock operation remote reading
Recording data through gateways: fingerprints
Unlock record, swipe card unlock record.
Password unlock record



Remotely unlock through gateway



Remotely delete user, add user, password
Management Key Management, IC Card
Management, fingerprint management


| | |
|------------------|--------------|
| Model: | G2 |
| Size: | WiFi 2.4G |
| IEEE standard: | 802.11 b/g/n |
| Power Interface: | Tupe-C USB |
| Power input: | DC 5V/500mA |

manual:
Gateway can make voice when power is
connected in 60 pairs.

APP

App

Remote transmission terminal



Application Desktop



Send the key



Generate passwords



Password Management



Fingerprint management



Record query


Systematic support: Simplified Chinese, Traditional Chinese, English, Spanish, Portuguese, Russian, French, Malay, and more languages will be added in the future.

Applications supporting iOS and Android systems, please search "kdly" or "ttlock" to download and install in the main software.

Bluetooth Lock for Anti-theft Door



D19 black gray



D19 Glory Black

Technical parametev

| | |
|----------|------------|
| Model | AC-D19CM |
| Material | Zinc Alloy |
| Size | 358*70mm |

Bluetooth Lock for Anti-theft Door



Gray



White



Gold

Technical parametev

| | |
|----------|---------------------|
| Model | AC-A3CM |
| Material | 304 stainless steel |
| Size | 310*70mm |

Bluetooth Lock for Anti-theft Door



Black

Silver

Red bronze

Technical parametev

| | |
|----------|---------------------|
| Model | AC-D2CM |
| Material | 304 stainless steel |
| Size | 330*75mm |

Bluetooth Lock for Anti-theft Door



Black

Silver

Red bronze

Technical parametev

| | |
|----------|---------------------|
| Model | AC-D3CM |
| Material | 304 stainless steel |
| Size | 340*70mm |

Bluetooth Lock for Anti-theft Door Bluetooth



Gold

Silver

Red bronze

Black

Technical parametev

| | |
|----------|-----------|
| Model | AC-1068CM |
| Material | SUS304 |
| Size | 350*80mm |

Bluetooth Lock for Anti-theft Door Bluetooth



Black

silver

Red bronze

Gold

Technical parametev

| | |
|----------|-----------|
| Model | AC-1058CM |
| Material | SUS304 |
| Size | 360*78mm |

Bluetooth Lock for Anti-theft Door



Black

silver

Red

Gold

Technical parametev

| | |
|----------|------------|
| Model | AC-D8CM |
| Material | Zinc Alloy |
| Size | 355*75mm |

Broken Bridge Aluminum Apartment Lock



silver

Black

Technical parametev

| | |
|----------|-----------|
| Model | AC-1019CM |
| Material | SUS304 |
| Size | 310*40mm |

Wooden door Password lock

AC-5188CM



Silver

Gold

Black

PARAMETER

| | |
|----------|--|
| Model | AC-5188CM |
| material | Inner steel plate outer 304 stainless steel |
| Size | 308*77mm |

Indoor wooden door Password lock

AC-2018CM



black

silver

Red bronze

PARAMETER

| | |
|----------|-----------|
| Model | AC-2018CM |
| material | Kirsite |
| Size | 260*70MM |

Wooden door Password lock

AC-508CM



Black

Silver

Gold

PARAMETER

| | |
|----------|----------|
| Model | AC-508CM |
| material | SUS 304 |
| Size | 300*75mm |

Wooden door Password lock

AC-A2CM



Black

Silver

Red bronze

Gold

PARAMETER

| | |
|----------|--|
| Model | AC-A2CM |
| material | Inner steel plate outer 304 stainless steel |
| Size | 310*75mm |

Wooden door Password lock

AC-A6CM



Black

Silver

Gold

PARAMETER

| | |
|----------|--------------------|
| Model | AC-A6CM |
| material | titanium-aluminium |
| Size | 300*75mm |

Wooden door Password lock

AC-A7CM



Black

Grey

Gold

PARAMETER

| | |
|----------|--------------------|
| Model | AC-A7CM |
| material | titanium-aluminium |
| Size | 290*70mm |

Wooden door Password lock

AC-A8CM



Black



Silver



Gold

PARAMETER

| | |
|----------|--------------------|
| Model | AC-A8CM |
| material | titanium-aluminium |
| Size | 290*70mm |



Wooden door apartment lock

AC-A5CM



Silver



Black



Gold

PARAMETER

| | |
|----------|--------------------|
| Model | AC-A5CM |
| material | SUS304 |
| Size | 280*73mm |
| Color | Black Silvery Gold |

Wooden door apartment lock

AC-152CM



PARAMETER

| | |
|----------|----------|
| Model | AC-152CM |
| material | SUS304 |
| Size | 306*75mm |